

AMENDED

Serial No. 47355

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 24 1983

Returned to applicant for correction DEC 1 1984

Corrected application filed JAN 17 1984 Map filed JAN 17 1984 under 47353

The applicant Reno Park Water Company

3401 Reno Park Boulevard of Reno  
Street and No. or P.O. Box No. City or Town  
Nevada (89506) hereby make application for permission to change the  
State and Zip Code No.

Point of Diversion and Place of Use of a portion  
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under 26957  
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and  
identify right in Decree.)

1. The source of water is Underground Well  
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed 0.5 cfs  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Quasi-Municipal and Domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for Quasi-Municipal and Domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point NE 1/4 SW 1/4 Section 16, T21N, R18E, MDM.  
Describe as being within a 40-acre subdivision of public survey and by course and  
or at a point from which the Southwest corner of said Section 16 bears,  
distance to a section corner. If on unsurveyed land, it should be stated.  
S 43° 30' 30" W a distance of 2,125 feet.
6. The existing permitted point of diversion is located within NE 1/4 NE 1/4 Section 21, T21N, R18E, MDM,  
If point of diversion is not changed, do not answer.  
or at a point from which the Northwest corner of said Section 21 bears,  
N 72° 48' 50" W a distance of 4,260 feet.  
Lots 9, 10, 11 & 12 (E 1/2 E 1/2) Section 30, SW 1/4 SW 1/4 and portions of
7. Proposed place of use 1/2 SE 1/4 SW 1/4, NW 1/4 SW 1/4, NE 1/4 SW 1/4, SW 1/4 NW 1/4, NW 1/4 NW 1/4 Section 29, T21N,  
R18E, MDM; SW 1/4, S 1/2 SE 1/4  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
Section 16, S 1/2 SE 1/4, S 1/2 SW 1/4 Section 17, NE 1/4 Section 20, N 1/2 NW 1/4, portions SW 1/4 NW 1/4,  
SE 1/4 NW 1/4 portions NE 1/4 SW 1/4, NE 1/4, N 1/2 SE 1/4, SE 1/4 SE 1/4, portions SW 1/4 SE 1/4 all in Section 21,  
portions NE 1/4 NE 1/4, SE 1/4 NE 1/4 Section 28, all in T21N, R18E, MDM.
8. Existing place of use SW 1/4, S 1/2 SE 1/4 Section 16, NE 1/4 Section 20, N 1/2 NW 1/4, portions SW 1/4 NW 1/4,  
SE 1/4 NW 1/4,  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
portions NE 1/4 SW 1/4, NE 1/4, N 1/2 SE 1/4, SE 1/4 SE 1/4, portions SW 1/4 SE 1/4 all in Section 21,  
manner of use of irrigation permit, describe acreage to be removed from irrigation.  
T21N, R18E, MDM.
9. Use will be from January 1 to December 31 of each year.  
Month and Day Month and Day
10. Use was permitted from January 1 to December 31 of each year.  
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) Drill well, install pump and motor,  
construct waterlines within the streets State manner in which water is to be diverted, i.e. diversion structure, ditches,  
of the Subdivision and transmission lines to water tank site and storage facilities.  
pipes and flumes, or drilled well, etc.
12. Estimated cost of works One-half million dollars.
13. Estimated time required to construct works Two Years

14. Estimated time required to complete the application of water to beneficial use.....Ten Years.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This water is to be commingled with 26958, 26956, 26959, 29416 and 29460 - all within the Cold Springs Basin and not to exceed 500 acre feet.

By s/ Richard W. Arden Agent  
950 Industrial Way  
Sparks, Nevada (89431)

Compared br/js ll/bc

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 26957 is issued subject to the terms and conditions imposed in said Permit 26957 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal, and local agencies.

The total combined duty of water under Permits 29460, Certificate 9941, 47355, 48141, 48142, 48143, 48144, 48145, 48146, 48147 and 48148 shall not exceed 391.02 million gallons annually.

(CONTINUED ON PAGE 2)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 117.95 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 14, 1985

Proof of completion of work shall be filed before March 14, 1985

Application of water to beneficial use shall be made on or before March 14, 1985

Proof of the application of water to beneficial use shall be filed on or before March 14, 1985

Map in support of proof of beneficial use shall be filed on or before March 14, 1985

Completion of work filed IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed my office, this 14TH day of MARCH

Certificate No. Issued

A.D. 19 85

*Peter G. Morros*

State Engineer

(PERMIT TERMS CONTINUED)

Permits 29460, Certificate 9941, 47355, 48141, 48142, 48143, 48144, 48145, 48146, 48147 and 48148 are limited to serve 1645 dwelling units, 50 industrial warehouse sites and 40 acres of commercial and other industrial land.